ELSEVIER

Brain Research 791 (1998) 357–359

BRAIN RESEARCH

Author Index

Akiguchi, I., see Yagi, H. (791) 90
Alleva, E., see Cirulli, F. (791) 308

Badoer, E. and Merolli, J.
Neurons in the hypothalamic paraventricular nucleus that project to the rostral ventrolateral medulla are activated by haemorrhage (791) 317
Barrachina, M.D., see Wang, L. (791) 157
Bellgowan, P.S.F. and Helmstetter, F.J.
The role of *mu* and *kappa* opioid receptors within the periaqueductal gray in the expression of conditional hypoalgesia (791) 83
Blanchard, B.C., see Sortwell, C.E. (791) 117
Blanco, C.E., see Loidl, C.F. (791) 303
Bleuel, Z., see Cartmell, J. (791) 191
Boissonade, F.M., see Long, A. (791) 263
Bongenhielm, U., see Long, A. (791) 263
Bower, A.J., see Jordan, L.R. (791) 347
Boylen, K.P., see Nishimura, S.L. (791) 271
Braisted, J.C., see Chavko, M. (791) 75

Cartmell, J., Goepfert, F., Knoflach, F., Pink, J.R., Bleuel, Z., Richards, J.G., Schaffhauser, H., Kemp, J.A., Wichmann, J. and Mutel, V.
Effect of metabotropic glutamate receptor activation on receptor-mediated cyclic AMP responses in primary cultures of rat striatal neurones (791) 191
Carvey, P.M., see Ling, Z.D. (791) 137
Chae, H.E. and Heideman, P.D.
Water-deprived white-footed mice express c-*fos* on a day/night cycle graded according to the duration of deprivation (791) 1
Chavko, M., Braisted, J.C., Outsa, N.J. and Harabin, A.L.
Role of cerebral blood flow in seizures from hyperbaric oxygen exposure (791) 75
Chih, C.-P., see Roberts Jr., E.L. (791) 321
Cirulli, F., De Acetis, L. and Alleva, E.
Behavioral effects of peripheral interleukin-1 administration in adult CD-1 mice: specific inhibition of the offensive components of intermale agonistic behavior (791) 308
Clement, J.G., see Wu, D. (791) 313
Collier, T.J., see Sortwell, C.E. (791) 117
Cortopassi, K.M., see McIntosh, L.J. (791) 215
Crisp, T., see Hoskins, D.L. (791) 299
Cunningham, M.J., Fang, Y., Selley, D.E. and Kelly, M.J.
μ-Opioid agonist-stimulated [^{35}S]GTPγS binding in guinea pig hypothalamus: effects of estrogen (791) 341

De Acetis, L., see Cirulli, F. (791) 308
De A. Futuro-Neto, H., see Pires, J.G.P. (791) 229
De Vente, J., see Loidl, C.F. (791) 303
De Wildt, D.J., see Herz, R.C.G. (791) 223

Einheber, S., see Nishimura, S.L. (791) 271
Elsworth, J.D., see Sortwell, C.E. (791) 117

Fang, Y., see Cunningham, M.J. (791) 341
Fredholm, B.B., Johansson, B., Lindström, K. and Wahlström, G.
Age-dependent changes in adenosine receptors are not modified by life-long intermittent alcohol administration (791) 177
Fried, K., see Long, A. (791) 263
Friedland, R.P., see Perry, G. (791) 63

Galloway, G., see Jordan, L.R. (791) 347
Gash, D.M., see Yurek, D.M. (791) 246
Gerhardt, G.A., see Yurek, D.M. (791) 246
Goepfert, F., see Cartmell, J. (791) 191
Gómez-Vargas, M., see Kondo, F. (791) 352
Gordon, T.L., see Hoskins, D.L. (791) 299
Gray, T.S., see Javed, A. (791) 67
Greene, R.W., see Grunze, H. (791) 330
Grunze, H., Greene, R.W., Möller, H.-J., Meyer, T. and Walden, J.
Lamotrigine may limit pathological excitation in the hippocampus by modulating a transient potassium outward current (791) 330

Hanna, G.F.B., Nawar, N.N. and Sharma, S.C.
Regeneration of ascending spinal axons in goldfish (791) 235
Harabin, A.L., see Chavko, M. (791) 75
Hashimoto, T., see Yoshii, K. (791) 257
Hayashi, S., see Yang, Y. (791) 35
Hebert, M.A., see Yurek, D.M. (791) 246
Heideman, P.D., see Chae, H.E. (791) 1
Helmstetter, F.J., see Bellgowan, P.S.F. (791) 83
Herz, R.C.G., Kasbergen, C.M., Hillen, B., Versteeg, D.H.G. and De Wildt, D.J.
Rat middle cerebral artery occlusion by an intraluminal thread compromises collateral blood flow (791) 223
Hillen, B., see Herz, R.C.G. (791) 223
Hipkens, S.B., see Yurek, D.M. (791) 246
Hong, K.E., see McIntosh, L.J. (791) 209
Hoskins, D.L., Gordon, T.L. and Crisp, T.
The effects of aging on mu and delta opioid receptors in the spinal cord of Fischer-344 rats (791) 299

Hosokawa, M., see Yagi, H. (791) 90

Ikeda, A., see Nagamine, T. (791) 200
Inase, M., see Takada, M. (791) 335
Inoue, M., see Watanabe, S. (791) 43

Jabłońska, B., Smith, A.L., Kossut, M. and Skangiel-Kramska, J.
Development of laminar distributions of kainate receptors in the somatosensory cortex of mice (791) 325
Jackson, I.M.D., see Luo, L.-G. (791) 56
Javed, A., Van de Kar, L.D. and Gray, T.S.
The 5-HT$_{1A}$ and 5-HT$_{2A/2C}$ receptor antagonists WAY-100635 and ritanserin do not attenuate D-fenfluramine-induced Fos expression in the brain (791) 67
Johansson, B., see Fredholm, B.B. (791) 177
Jones, P.K., see Perry, G. (791) 63
Jordan, L.R., Zelaya, F.O., Rose, S.E., Bower, A.J., Galloway, G., Wholohan, T. and Nixon, P.F.
Changes in the hippocampus induced by glucose in thiamin deficient rats detected by MRI (791) 347

Kajander, K.C., see Roche, A.K. (791) 283
Kasbergen, C.M., see Herz, R.C.G. (791) 223
Katona, C., Rose, S. and Smale, L.
The expression of Fos within the suprachiasmatic nucleus of the diurnal rodent *Arvicanthis niloticus* (791) 27
Kawata, M., see Yang, Y. (791) 35
Kelly, M.J., see Cunningham, M.J. (791) 341
Kemp, J.A., see Cartmell, J. (791) 191
Kirino, Y., see Watanabe, S. (791) 43
Knoflach, F., see Cartmell, J. (791) 191
Kondo, F., Kondo, Y., Gómez-Vargas, M. and Ogawa, N.
Indomethacin inhibits delayed DNA fragmentation of hippocampal CA1 pyramidal neurons after transient forebrain ischemia in gerbils (791) 352
Kondo, Y., see Kondo, F. (791) 352
Kossut, M., see Jabłońska, B. (791) 325
Koutlas, I.G., see Roche, A.K. (791) 283
Kudo, Y., see Watanabe, S. (791) 43
Kulkarni, S.K., see Reddy, D.S. (791) 108
Kurachi, M., see Sun, Y.-J. (791) 125
Kurachi, T., see Sun, Y.-J. (791) 125

Lee, N.M., see Yarygin, K.N. (791) 99
Lindström, K., see Fredholm, B.B. (791) 177

Ling, Z.D., Tong, C.W. and Carvey, P.M.
Partial purification of a pramipexole-induced trophic activity directed at dopamine neurons in ventral mesencephalic cultures (791) 137
Liu, G.J. and Madsen, B.W.
Modulatory action of $PACAP_{27}$ on NMDA receptor channel activity in cultured chick cortical neurons (791) 296
Loidl, C.F., De Vente, J., Markerink van Ittersum, M., Van Dijk, E.H.J., Vles, J.S.H., Steinbusch, H.W.M. and Blanco, C.E.
Hypothermia during or after severe perinatal asphyxia prevents increase in cyclic GMP-related nitric oxide levels in the newborn rat striatum (791) 303
Long, A., Bongenhielm, U., Boissonade, F.M., Fried, K. and Robinson, P.P.
Neuropeptide immunoreactivity in ligature-induced neuromas of the inferior alveolar nerve in the ferret (791) 263
L. Siedlak, S., see Perry, G. (791) 63
Lu, H., see Yang, Y. (791) 35
Luo, L.-G. and Jackson, I.M.D.
Glucocorticoids stimulate TRH and c-*fos*/c-*jun* gene co-expression in cultured hypothalamic neurons (791) 56

Madsen, B.W., see Liu, G.J. (791) 290
Mäkelä, J., see Nagamine, T. (791) 200
Markerink van Ittersum, M., see Loidl, C.F. (791) 303
Martínez, V., see Wang, L. (791) 157
McCann, C.E., see Perry, G. (791) 63
McIntosh, L.J., Hong, K.E. and Sapolsky, R.M.
Glucocorticoids may alter antioxidant enzyme capacity in the brain: baseline studies (791) 209
McIntosh, L.J., Cortopassi, K.M. and Sapolsky, R.M.
Glucocorticoids may alter antioxidant enzyme capacity in the brain: kainic acid studies (791) 215
Merolli, J., see Badoer, E. (791) 317
Meyer, T., see Grunze, H. (791) 330
Mihara, M., see Tohgi, H. (791) 186
Mikuni, N., see Nagamine, T. (791) 200
Milner, T.A., see Nishimura, S.L. (791) 271
Mima, T., see Nagamine, T. (791) 200
Miyakawa, H., see Watanabe, S. (791) 43
Miyasho, T., see Watanabe, S. (791) 43
Möller, H.-J., see Grunze, H. (791) 330
Münch, G., see Weber, K. (791) 11
Murata, M., see Sun, Y.-J. (791) 125
Mutel, V., see Cartmell, J. (791) 191

Nagamine, T., Mäkelä, J., Mima, T., Mikuni, N., Nishitani, N., Satoh, T., Ikeda, A. and Shibasaki, H.
Serial processing of the somesthetic information revealed by different effects of stimulus rate on the somatosensory-evoked potentials and magnetic fields (791) 200
Nagane, Y., see Tohgi, H. (791) 186
Nambu, A., see Takada, M. (791) 335
Nawar, N.N., see Hanna, G.F.B. (791) 235
Nihonyanagi, K., see Yang, Y. (791) 35
Nishimura, S.L., Boylen, K.P., Einheber, S., Milner, T.A., Ramos, D.M. and Pytela, R.
Synaptic and glial localization of the integrin $\alpha v\beta 8$ in mouse and rat brain (791) 271
Nishitani, N., see Nagamine, T. (791) 200
Nixon, P.F., see Jordan, L.R. (791) 347

Ogawa, N., see Kondo, F. (791) 352
Ohta, A., see Yagi, H. (791) 90
Outsa, N.J., see Chavko, M. (791) 75
Ozawa, H., see Yang, Y. (791) 35

Pardridge, W.M., see Wu, D. (791) 313
Perry, G., Smith, M.A., McCann, C.E., L. Siedlak, S., Jones, P.K. and Friedland, R.P.
Cerebrovascular muscle atrophy is a feature of Alzheimer's disease (791) 63
Pink, J.R., see Cartmell, J. (791) 191
Pires, J.G.P., Silva, S.R., Ramage, A.G. and De A. Futuro-Neto, H.
Evidence that 5-HT_3 receptors in the nucleus tractus solitarius and other brainstem areas modulate the vagal bradycardia evoked by activation of the von Bezold–Jarisch reflex in the anesthetized rat (791) 229
Porrino, L.J., Whitlow, C.T. and Samson, H.H.
Effects of the self-administration of ethanol and ethanol/sucrose on rates of local cerebral glucose utilization in rats (791) 18
Pytela, R., see Nishimura, S.L. (791) 271

Quast, M.J., see Wei, J. (791) 146

Raju, T.R., see Sunanda, (791) 295
Ramage, A.G., see Pires, J.G.P. (791) 229
Ramos, D.M., see Nishimura, S.L. (791) 271
Rao, B.S.S., see Sunanda, (791) 295
Reddy, D.S. and Kulkarni, S.K.
The effects of neurosteroids on acquisition and retention of a modified passive-avoidance learning task in mice (791) 108
Redmond Jr., D.E., see Sortwell, C.E. (791) 117
Ribot-Ciscar, E. and Roll, J.-P.
Ago-antagonist muscle spindle inputs contribute together to joint movement coding in man (791) 167
Richards, J.G., see Cartmell, J. (791) 191
Roberts Jr., E.L., Wisotzky, D. and Chih, C.-P.
Aging and the effects of MK-801 on anoxic damage in rat hippocampal slices (791) 321
Robinson, P.P., see Long, A. (791) 263
Roche, A.K., Koutlas, I.G. and Kajander, K.C.
Labeling of calcitonin gene-related peptide and substance P increases in subnucleus caudalis of rabbit during maxillary sinusitis (791) 283
Roll, J.-P., see Ribot-Ciscar, E. (791) 167
Rose, S., see Katona, C. (791) 27
Rose, S.E., see Jordan, L.R. (791) 347
Roth, R.H., see Sortwell, C.E. (791) 117

Samson, H.H., see Porrino, L.J. (791) 18
Sapolsky, R.M., see McIntosh, L.J. (791) 209
Sapolsky, R.M., see McIntosh, L.J. (791) 215
Satoh, T., see Nagamine, T. (791) 200
Schaffhauser, H., see Cartmell, J. (791) 191
Schmahl, W., see Weber, K. (791) 11
Selley, D.E., see Cunningham, M.J. (791) 341
Sharma, S.C., see Hanna, G.F.B. (791) 235
Shibasaki, H., see Nagamine, T. (791) 200
Silva, S.R., see Pires, J.G.P. (791) 229
Skangiel-Kramska, J., see Jabłońska, B. (791) 325
Sladek Jr., J.R., see Sortwell, C.E. (791) 117
Smale, L., see Katona, C. (791) 27
Smith, A.L., see Jabłońska, B. (791) 325
Smith, M.A., see Perry, G. (791) 63
Sortwell, C.E., Blanchard, B.C., Collier, T.J., Elsworth, J.D., Taylor, J.R., Roth, R.H., Redmond Jr., D.E. and Sladek Jr., J.R.
Pattern of synaptophysin immunoreactivity within mesencephalic grafts following transplantation in a parkinsonian primate model (791) 117
Steinbusch, H.W.M., see Loidl, C.F. (791) 303
Sun, Y.-J., Suzuki, M., Kurachi, T., Murata, M. and Kurachi, M.
Expression of Fos protein in the limbic regions of the rat following haloperidol decanoate (791) 125
Sunanda, , Rao, B.S.S. and Raju, T.R.
Corticosterone attenuates zinc-induced neurotoxicity in primary hippocampal cultures (791) 295
Suzuki, M., see Sun, Y.-J. (791) 125

Taché, Y., see Wang, L. (791) 157
Takada, M., Tokuno, H., Nambu, A. and Inase, M.
Corticostriatal input zones from the supplementary motor area overlap those from the contra- rather than ipsilateral primary motor cortex (791) 335
Takagi, H., see Watanabe, S. (791) 43
Takeda, T., see Yagi, H. (791) 90
Taylor, J.R., see Sortwell, C.E. (791) 117
Tohgi, H., Utsugisawa, K., Yoshimura, M., Nagane, Y. and Mihara, M.
Alterations with aging and ischemia in nicotinic acetylcholine receptor subunits α_4 and β_2 messenger RNA expression in postmortem human putamen. Implications for susceptibility to parkinsonism (791) 186
Tokuno, H., see Takada, M. (791) 335
Tong, C.W., see Ling, Z.D. (791) 137

Utsugisawa, K., see Tohgi, H. (791) 186

Van de Kar, L.D., see Javed, A. (791) 67
Van Dijk, E.H.J., see Loidl, C.F. (791) 303
Versteeg, D.H.G., see Herz, R.C.G. (791) 223
Vles, J.S.H., see Loidl, C.F. (791) 303

Wahlström, G., see Fredholm, B.B. (791) 177
Walden, J., see Grunze, H. (791) 330
Wang, L., Martínez, V., Barrachina, M.D. and Taché, Y.
Fos expression in the brain induced by peripheral injection of CCK or leptin plus CCK in fasted lean mice (791) 157

Watanabe, S., Takagi, H., Miyasho, T., Inoue, M., Kirino, Y., Kudo, Y. and Miyakawa, H. Differential roles of two types of voltage-gated Ca^{2+} channels in the dendrites of rat cerebellar Purkinje neurons (791) 43

Weber, K., Schmahl, W. and Münch, G. Distribution of advanced glycation end products in the cerebellar neurons of dogs (791) 11

Wei, J. and Quast, M.J. Effect of nitric oxide synthase inhibitor on a hyperglycemic rat model of reversible focal ischemia: detection of excitatory amino acids release and hydroxyl radical formation (791) 146

Whitlow, C.T., see Porrino, L.J. (791) 18

Wholohan, T., see Jordan, L.R. (791) 347

Wichmann, J., see Cartmell, J. (791) 191

Wisotzky, D., see Roberts Jr., E.L. (791) 321

Wu, D., Clement, J.G. and Pardridge, W.M. Low blood–brain barrier permeability to azidothymidine (AZT), 3TC™, and thymidine in the rat (791) 313

Yagi, H., Akiguchi, I., Ohta, A., Yagi, N., Hosokawa, M. and Takeda, T. Spontaneous and artificial lesions of magnocellular reticular formation of brainstem deteriorate avoidance learning in senescence-accelerated mouse SAM (791) 90

Yagi, N., see Yagi, H. (791) 90

Yang, Y., Ozawa, H., Lu, H., Yuri, K., Hayashi, S., Nihonyanagi, K. and Kawata, M. Immunocytochemical analysis of sex differences in calcitonin gene-related peptide in the rat dorsal root ganglion, with special reference to estrogen and its receptor (791) 35

Yarygin, K.N., Zhang, X.-H. and Lee, N.M. Non-opioid dynorphin binding site on secretory vesicles of a pituitary-derived cell line (791) 99

Yoshii, K. and Hashimoto, T. Antagonism between the suppressive effects of NH_3 and CO_2 on bullfrog taste nerve responses to quinine (791) 257

Yoshimura, M., see Tohgi, H. (791) 186

Yurek, D.M., Hipkens, S.B., Hebert, M.A., Gash, D.M. and Gerhardt, G.A. Age-related decline in striatal dopamine release and motoric function in Brown Norway/Fischer 344 hybrid rats (791) 246

Yuri, K., see Yang, Y. (791) 35

Zelaya, F.O., see Jordan, L.R. (791) 347

Zhang, X.-H., see Yarygin, K.N. (791) 99